

Soils Map





State: Minnesota

County: Rice

6-111N-21W Location:

Township: Forest Acres: 138.6 10/9/2023 Date:







Soils data provided by USDA and NRCS

	ymbol: MN131, Soil Area Version: 17	Τ.	I .	1				1
Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Soybeans
106D2	Lester loam, 10 to 16 percent slopes, moderately eroded	36.07	26.0%		IVe	72	72	63
106C2	Lester loam, 6 to 10 percent slopes, moderately eroded	28.60	20.6%		Ille	77	77	69
414	Hamel loam, 0 to 2 percent slopes	25.21	18.2%		llw	88	88	88
1367	Derrynane clay loam, 1 to 3 percent slopes	8.59	6.2%		llw	83	83	73
134	Okoboji silty clay loam, 0 to 1 percent slopes	8.33	6.0%		IIIw	76	74	74
1362B	Angus loam, 2 to 6 percent slopes	8.00	5.8%		lle	82	82	77
238D2	Kilkenny clay loam, 10 to 16 percent slopes, moderately eroded	6.81	4.9%		IVe	73	73	52
109	Cordova clay loam, 0 to 2 percent slopes	2.76	2.0%		llw	85	85	82
106E	Lester loam, 10 to 22 percent slopes	2.69	1.9%		Vle	67	67	59
238B	Kilkenny clay loam, 2 to 6 percent slopes	2.69	1.9%		lle	84	84	66
239	Le Sueur loam, 1 to 3 percent slopes	2.18	1.6%		lw	90	90	84
238C2	Kilkenny clay loam, 6 to 10 percent slopes, moderately eroded	1.92	1.4%		IIIe	77	77	57
1388B	Terril loam, 2 to 6 percent slopes	1.83	1.3%		lle	88	88	84
1080	Klossner, Okoboji and Glencoe soils, ponded, 0 to 1 percent slopes	1.82	1.3%		VIIIw	15	11	Ş
1058	Muskego and Houghton soils, 0 to 1 percent slopes	0.99	0.7%		VIw	60	35	57
114	Glencoe clay loam, 0 to 1 percent slopes	0.11	0.1%		IIIw	77	76	76
	Weighted Average					*n 77.6	*n 77.3	*n 70.5

^{*}n: The aggregation method is "Weighted Average using all components"

^{*}c: Using Capabilities Class Dominant Condition Aggregation Method Soils data provided by USDA and NRCS.